

Introduction to Linux

Session 1

Pete Ruprecht
Research Computing Group
University of Colorado Boulder
www.rc.colorado.edu

Outline

- What is Linux?
- What happens when you log in?
- Shells and environment
- Commands
- Filesystem basics
- Processes
- More about shells


Slides available at

<https://github.com/ResearchComputing/Meetup-Fall-2013>

What is Linux?

- Part of the Unix family of operating systems.
- Started in early '90s by Linus Torvalds.
- Technically refers only to the kernel; software from the GNU project is layered on top to form a complete OS. Most is open source.
- Several distributions are available – from commercial-grade, like RHEL or SUSE, to more consumer-focused, like Ubuntu.
- Runs on everything from phones to supercomputers.

History of Linux



Brian Kernighan
1970
“space travel” to UNIX



Dennis Ritchie
1971
C



Richard Stallman
1983
Gnu Not Unix



Linus Torvalds
1991
Linux kernel for personal computers

users

shell: bash, csh

programs

commands

Linux kernel

Computer hardware

How do you log in?

- To a remote system, use Secure Shell (SSH)
- From Windows – GUI app such as PuTTY
- From Linux – ssh on the command line
`ssh -X username@login.rc.colorado.edu`
- From Mac OS X – ssh from the Terminal, or GUI such as Cyberduck or Fugu

What happens when you log in?

- Login is authenticated (password or key)
- Assigned to a tty
- Shell starts
- Environment is set up
- Prompt

What identifies a Linux user?

- Username / UID
- Group / GID
- Password (or other authentication info)
- GECOS
- Default shell
- Home directory

Shells

The shell parses and interprets typed input; passes results to the rest of the OS; returns response as appropriate

- Bourne (sh) – early and rudimentary
- Bourne-again (bash) – has many user-friendly extensions; default in Linux
- C (csh) – has C-like syntax
- T (tcsh) – extended version of C
- Korn (ksh) – early extension of Bourne; was heavily used for programming
- Z (zsh) – includes features of bash and tcsh

Shell features

- Tab completion
- History and command-line editing
- Scripting and programming
- Built-in utilities

Environment

- Set up using shell and environment variables
 - shell: only effective in the current shell itself
 - environment: carry forward to subsequent commands or shells
- Set default values at login time using `.bashrc` (`.my.bashrc` in RC) or `.cshrc`.
- Initialization scripts should not produce output!
- `set var_name[=value]` (shell)
- `export VAR_NAME[=value]` (environment)
- `env` (shows current variables)

Useful variables.

- `PATH`: directories to search for commands
- `HOME`: home directory
- `DISPLAY`: screen where graphical output will appear
- `MANPATH`: directories to search for manual pages
- `LANG`: current language encoding
- `PWD`: current working directory
- `USER`: username
- `LD_LIBRARY_PATH`: directories to search for shared objects (dynamically-loaded libs)
- `LM_LICENSE_FILE`: files to search for FlexLM software licenses

Anatomy of a Linux command

- Command [flags] [flag arguments] [target(s)]
- `tar -c -f archive.tar mydir`
- Flags do not mean the same thing for different commands
- The same command may have different flags in different kinds of Unix (esp. Linux vs BSD)
- Case is important!
- Order of flags may be important

Most important Linux command

man

man <command>

man -k <keyword>

File- and directory-related commands

pwd – prints full path to current directory

cd – changes directory; can use full or relative path as target

mkdir – creates a subdirectory in the current directory

rmdir – removes an empty directory

rm – removes a file (**rm -r** removes a directory and all of its contents)

cp – copies a file

mv – moves (or renames) a file

ls – lists the contents of a directory (**ls -l** gives detailed listing)

chmod/chown – change permissions or ownership

df – displays filesystems and their sizes

du – shows disk usage (**du -sk** shows size of a directory and all of its contents in KB)

Process- and program-related commands

ps – lists processes (`ps -ef` lists all running processes)

top – shows processes currently using the CPU

kill – sends a signal to a process (kills process by default). Target is Process-ID; found in 2nd column of `ps -ef` output.

jobs – shows jobs currently in background

time – shows how much wall time and CPU time a process has used

nice – changes the priority of a process to get CPU time

File-viewing commands

less – displays a file one screen at a time

cat – prints entire file to the screen

head – prints the first few lines of a file

tail – prints the last few lines of a file (with `-f` shows in realtime the end of a file that may be changing)

diff – shows differences between two files

grep – prints lines containing a string or other regular expression

tee – prints the output of a command and also copies the output to a file

sort – sorts lines in a file

find – searches for files that meet specified criteria

wc – count words, lines, or characters in a file

The Linux Filesystem

- System of arranging files on disk
- Consists of directories (folders) that can contain files or other directories
- Levels in full paths separated by *forward* slashes, e.g. /home/admin/mary/payroll/June2012
- Case-sensitive; spaces in names discouraged
- . , .. , and ~ are shorthand.

Much more on this in the next session!

Navigating the filesystem

- Examples:
 - ls
 - mkdir
 - Cd
 - rm
- Permissions (modes)

File editing

- **nano** – simple and intuitive to get started with; not powerful; keyboard driven
- **vi/vim** – universal; keyboard driven; powerful but some learning curve required
- **emacs** – keyboard or GUI versions; helpful extensions for programmers; well-documented
- **OpenOffice / LibreOffice** – for WYSIWYG

<http://xkcd.com/378/>

Processes

- A process is a unique task; it may have threads
- Examples:
 - Foreground vs background (&)
 - jobs command
 - Ctl-C vs Ctl-Z ; bg
 - kill

More about shells

- Input and output redirection
 - Send output from a command to a new file with `>`
 - Append output to an existing file with `>>`
 - Use a file as input to a command with `<`
- Pipes: `|` sends output of one command to another command

```
ps -ef | grep ruprech
```
- Quoting – save this for a future session!

Thank you!

Next session time and place

More info: www.rc.colorado.edu